Progress on Missing E_T

P. Chumney

18 July 2000

# Previously

On 20 June 2000 Sridhara showed us a sharp drop
in the Missing E_T rates:

rmiset rate at L = 10^{34} cm^{-2} s^{-1}

rate (kHz) from each file vs Et (GeV) summed rate (kHz) Vs Et (GeV)


Integrated rate (kHz) Vs Et (GeV)

Everything done with ORCA4.

Current Status

A bug in the HcalTowerBase.cc resulting in Phi=0 for the last Eta Towers in the HF phi distribution was fixed:

rmiset rate at L = 10^{34} cm^{-2} s^{-1}

rmiset rate from each file vs Et

rmiset rate Vs Et

Integrated rmiset rate (kHz) Vs Et (GeV)

Drop is less dramatic but still there!

New Pileup Samples

Suspected cause of the drop in rates vs missing E_T was the way the pileup was handled. Several "Pileup" Samples were made for comparison:

PurePileup
10^{34} full pileup using only minbias events – 100k events randomly Recycled (50k in my sample)
NoPileup
QCD jet production only (50k in my sample)
IntimeUnique
10^{34} intime pileup with minbias only – no events recycled (4930)
UniquePileup
10^{34} full pileup using only minbias events – no events recycled (493)

Total E_T

A plot showing differential Total E_T shows strange behavior of the Intime Unique sample

Differential Et trigger rate

CMS UW-Madison
CMSIM 116 ORCA 4
(With minimum bias)
$L = 10^{34}$ cm^{-2} s^{-1}

- ■ HLT
- ▲ PurePileup
- ▼ NoPileup
- ○ IntimeUnique
- □ UniquePileup

Rate (kHz)

Trigger E_t Cutoff (GeV)

$\rightarrow$ no pedistal subtraction using out-of-time, because no out-of-time. (Thanks Sarah!) This dataset is dropped.

A comparison of pileup samples yields differential rates like:

Differential Missing Et trigger rate

CMS UW-Madison
CMSIM 116 ORCA 4
With minimum bias
$L = 10^{34} \ cm^{-2} \ s^{-1}$

- ■ HLT
- ▲ PurePileup (repeated)
- ▼ NoPileup
- □ UniquePileup

Rate (kHz)

Trigger E_t Cutoff (GeV)

And integral rates like:

Missing Et trigger rate

CMS UW-Madison
CMSIM 116 ORCA 4
With minimum bias
$L = 10^{34}$ cm^{-2} s^{-1}

■ HLT
▲ PurePileup (repeated)
▼ NoPileup
□ UniquePileup

→ drop occurs at the end of the pileup.

→ good agreement of repeated pileup and unique pileup shows repetition of minbias events is not a problem!

Ratio of Integrated Rates

Ratio of Missing Et trigger rates

CMS UW-Madison

CMSIM 116 ORCA 4

With minimum bias

$L = 10^{34}$ cm^{-2} s^{-1}

● HLT/PurePileup

$\rightarrow$ QCD+minbias sample still high.

Tower Missing E_T

Take E_T for each tower, ECAL and HCAL separately, calculate E_{Tx} and E_{Ty}, sum for missing E_T. $E_T < 0$ are thrown out.

- Only $E_T > 0$ – No Threshold.

- No correction for HCAL Phi in DB

- Plot for Recycled Pileup of L1 MET minus Tower MET shows correlation. Average Tower MET slightly larger.

Comparison of Tower Missing E_T: HLT Sample

Missing Et trigger rate

Things still to do:

- Include fix of HCAL trigger primitive position in DB in L1CaloRgnlTrgData.cc *and* in Tower MET/TotalET calculation.

- Include Threshold for Tower E_T

- Include Generator Level MET/TotalET.

- *Later* : Get ORCA_4_2_0 going.

Conclusions:

- Recycling pileup minbias events is fine.

- HLT rate is still high

- Calculation of MET probably okay